



TABELA WYMIARÓW



	ROZMIAR OPONY	SZEROKOŚĆ OPONY	DYSTANS MIĘDZY OPONAMI (KOŁA PODWÓJNE)	ŚREDNICA OPONY	KOŁA PODWÓJNE	KOŁA POJEDYNCZE	KOŁA PODWÓJNE	KOŁA POJEDYNCZE
13"	6.70 R 13	95	101	670	DK1515		DK3115	DK3110
15"	8.25 R 15	237	267	830	DK1540		DK3125	
	10.00 R 15	283	308	942	DK1555			
16"	7.00 R 16	204	230	795	DK1525		DK3120	DK3110
	7.50 R 16	216	240	814	DK1530		DK3120	
	8.25 R 16	237	264	874	DK1540		DK3125	
	9.00 R 16	253	274	927	DK1540		DK3125	
	255/100 R 16	262	282	936	DK1540		DK3125	
	325/85 R 16	341		980		DK1580, DK1830, DK4180, DK4185, DK2976, DK2978, DK4380		
17"	8.25 R 17	237		900	DK1540		DK3125	
17,5"	205/75 R 17,5	214	250	765	DK1530		DK3120	DK3110
	215/75 R 17,5	222	260	779	DK1530		DK3120	DK3110
	225/75 R 17,5	237	266	797	DK1540		DK3125	
	235/75 R 17,5	245	282	811	DK1540		DK3125	
	245/75 R 17,5	260	290	827	DK1540		DK3125	
	225/70 R 17,5	235	263	773	DK1530		DK3120	DK3110
	245/70 R 17,5	260	290	803	DK1540		DK3125	
	265/70 R 17,5	275	298	831	DK1555			
	205/65 R 17,5	214	234	721	DK1525, DK1530		DK3115	DK3110
	355/45 R 17,5	368		777		DK1580, DK1830, DK4180, DK4185, DK2976, DK2978, DK4380		
	8 R 17,5	214	234	794	DK1525		DK3120	DK3110
	8.5 R 17,5	221	236	813	DK1530		DK3120	
	9 R 17,5	237	260	831	DK1530		DK3120	
9.5 R 17,5	247	272	854	DK1540		DK3125		
10 R 17,5	262	282	870	DK1555		DK3125		
19,5"	245/70 R 19,5	260	288	853	DK1540		DK3125	
	265/70 R 19,5	275	309	881	DK1555			

	ROZMIAR OPONY	SZEROKOŚĆ OPONY	DYSTANS MIĘDZY OPONAMI (KOŁA PODWÓJNE)	ŚREDNICA OPONY	KOŁA PODWÓJNE	KOŁA POJEDYNCZE	KOŁA PODWÓJNE	KOŁA POJEDYNCZE
19,5"	285/70 R 19,5	297	332	911	DK1555, DK1560			
	305/70 R 19,5	320	354	941	DK1820, DK1570, DK2970, DK2971, DK2972, DK2973	DK1575, DK4175, DK1830, DK4375 DK4180, DK4185, DK2975, DK2977, DK1575, DK4175,		
	315/70 R 19,5	328	262	937	DK1820, DK1570, DK2970, DK2971, DK2972, DK2973	DK1830, DK4375 DK4180, DK4185, DK2975, DK2977,		
	245/65 R 19,5	248	280	814	DK1540			
	385/65 R 19,5	405		1020		DK1575, DK4175, DK1830, DK4375 DK4180, DK4185, DK2975, DK2977, DK1840		
	445/65 R 19,5	477		1097				
	255/60 R 19,5			805	DK1555			
	425/55 R 19,5	442		981		DK1535		
	385/55 R 19,5	400		936		DK1575, DK4175, DK1830, DK4375 DK4180, DK4185, DK2975, DK2977,		
	435/50 R 19,5	460		949		DK1535		
	445/45 R 19,5	458		910		DK1535		
	7 R 19,5	191	209	809	DK1525		DK3120	
	8 R 19,5	214	229	867	DK1530		DK3120	
	9 R 19,5	237	260	906	DK1535		DK3125	
	9.5 R 19,5	247	274	926	DK1540		DK3125	
	10 R 19,5	262	292	949	DK1560		DK3125	
	12 R 19,5	309	341	1023	DK1570, DK1585, DK1820, DK1850, DK4190, DK4385, DK2970, DK2971, DK2972, DK2973	DK1575, DK4175, DK1830, DK4375 DK4180, DK4185, DK2975, DK2977,		
	15 R 19,5	399		998		DK1575, DK4175, DK1830, DK4375 DK4180, DK4185, DK2975, DK2977, DK1575, DK4175,		
	16.5 R 19,5	438		1063		DK1830, DK4375 DK4180, DK4185, DK2975, DK2977, DK1840		
	18 R 19,5	471		1100		DK1840		
19.5 R 19,5	495		1134		DK1840			

	ROZMIAR OPONY	SZEROKOŚĆ OPONY	DYSTANS MIĘDZY OPONAMI (KOŁA PODWÓJNE)	ŚREDNICA OPONY	KOŁA PODWÓJNE	KOŁA POJEDYNCZE	KOŁA PODWÓJNE	KOŁA POJEDYNCZE
20"	6.50 R 20	186	216	871	DK1535		DK3120	
	7.00 R 20	204	222	904	DK1535		DK3125	
	7.50 R 20	216	243	941	DK1535, DK1550		DK3125	
	8.25 R 20	237	273	976	DK1560		DK3125	
	9.00 R 20	266	296	1033	DK1560			
	10.00 R 20	283	319	1068	DK1565			
	11.00 R 20	295	339	1099	DK1570, DK1585, DK1820, DK1850, DK4190, DK4385, DK2970, DK2971, DK2972, DK2973, DK4500, DK4550			
	12.00 R 20	319	358	1140	DK1585, DK1850, DK4190, DK4385	DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977,		
	225/90 R 20	240	276	926	DK1540			
	395/85 R 20	405		1206		DK1840		
	12/80 R 20	314	349	1023	DK1570, DK1585, DK1820, DK1850, DK4190, DK4385, DK2970, DK2971, DK2972, DK2973	DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977,		
	13/80 R 20	336		1064		DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977, DK1840		
	14/80 R 20	361		1107		DK1575, DK4175, DK1830, DK4180, DK4185, DK2975, DK2977, DK1575, DK4175, DK1830,		
	14.75/80 R 20	381		1142		DK1830, DK4180, DK4185, DK2975, DK2977, DK4375, DK1575, DK4175, DK1830, DK4185, DK1575, DK4175,		
	15.5/80 R 20	396		1177		DK1830, DK4180, DK4185, DK1575, DK4175, DK1830,		
	365/80 R 20	382		1116		DK1830, DK4180, DK4185		
	475/80 R 20	498		1298		DK1840		
	475/60 R 20	475		1078		DK1840		

	ROZMIAR OPONY	SZEROKOŚĆ OPONY	DYSTANS MIĘDZY OPONAMI (KOŁA PODWÓJNE)	ŚREDNICA OPONY	KOŁA PODWÓJNE	KOŁA POJEDYNCZE	KOŁA PODWÓJNE	KOŁA POJEDYNCZE
	12/80 R 22,5	320	344	1064	DK1560, DK4500, DK4550	DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977,		
	275/80 R 22,5	290	324	1030	DK1570, DK1585, DK1820, DK1850, DK4190, DK4385, DK2970, DK2971, DK2972, DK2973	DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977,		
	295/80 R 22,5	313	348	1062	DK1570, DK1585, DK1820, DK1850, DK4190, DK4385, DK2970, DK2971, DK2972, DK2973	DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977,		
	315/80 R 22,5	328	363	1096	DK1570, DK1585, DK1820, DK1850, DK4190, DK4385, DK2970, DK2971, DK2972, DK2973, DK4500, DK4550	DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977,		
	215/75 R 22,5	211	246	864	DK1535		DK3120	
	295/75 R 22,5	313	348	1032	DK1570, DK1585, DK1820, DK1850, DK4190, DK4385, DK2970, DK2971, DK2972, DK2973	DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977,		
	315/75 R 22,5	328	360	1063	DK1570, DK1585, DK1820, DK1850, DK4190, DK4385, DK2970, DK2971, DK2972, DK2973	DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977,		
	345/75 R 22,5	365		1111		DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977,		
	350/75 R 22,5	364		1097		DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977,		
	445/75 R 22,5	462		1266		DK1575, DK4175, DK1840		
	255/70 R 22,5	268	297	944	DK1555			

	ROZMIAR OPONY	SZEROKOŚĆ OPONY	DYSTANS MIĘDZY OPONAMI (KOŁA PODWÓJNE)	ŚREDNICA OPONY	KOŁA PODWÓJNE	KOŁA POJEDYNCZE	KOŁA PODWÓJNE	KOŁA POJEDYNCZE
22,5"	275/70 R 22,5	290	322	973	DK1565, DK1570, DK1820, DK2970, DK2971, DK2972, DK2973			
	295/70 R 22,5	313	330	1005	DK1570, DK1585, DK1820, DK1850, DK4190, DK4385, DK2970, DK2971, DK2972, DK2973	DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977,		
	305/70 R 22,5	320	349	1018		DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977, DK1575, DK4175,		
	315/70 R 22,5	328		1032		DK1830, DK4375, DK4180, DK4185, DK2975, DK2977, DK1575, DK4175,		
	365/70 R 22,5	380		1104		DK1830, DK4375, DK4180, DK4185, DK2975, DK2977, DK1575, DK4175,		
	385/65 R 22,5	408		1092		DK1830, DK4375, DK4180, DK4185, DK2975, DK2977, DK1840		
	425/65 R 22,5	452		1146		DK1840		
	445/65 R 22,5	477		1174		DK1840		
	265/60 R 22,5	275	300	890	DK1555			
	285/60 R 22,5	299	327	928	DK1560			
	295/60 R 22,5	307	333	940	DK1820, DK1570, DK2970, DK2971, DK2972, DK2973			
	305/60 R 22,5	312	348	952	DK1820, DK1570, DK2970, DK2971, DK2972, DK2973	DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977, DK1575, DK4175,		
	315/60 R 22,5	319	360	966	DK1820, DK1570, DK2970, DK2971, DK2972, DK2973	DK1830, DK4375, DK4180, DK4185, DK2975, DK2977,		

	ROZMIAR OPONY	SZEROKOŚĆ OPONY	DYSTANS MIĘDZY OPONAMI (KOŁA PODWÓJNE)	ŚREDNICA OPONY	KOŁA PODWÓJNE	KOŁA POJEDYNCZE	KOŁA PODWÓJNE	KOŁA POJEDYNCZE
	385/55 R 22,5	401		1012		DK1575, DK4175, DK1830, DK4180, DK4185, DK2975, DK2977, DK4375		
	455/55 R 22,5	470		1092		DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977, DK1575, DK4175,		
	355/50 R 22,5	375		942		DK1830, DK4375, DK4180, DK4185, DK2975, DK2977, DK1575, DK4175,		
	445/50 R 22,5	463		1036		DK1830, DK4375, DK4180, DK4185, DK2975, DK2977, DK1840		
	415/45 R 22,5	433		960		DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977, DK1575, DK4175,		
	435/45 R 22,5	457		980		DK1830, DK4375, DK4180, DK4185, DK2975, DK2977, DK1575, DK4175,		
	455/45 R 22,5	461		998		DK1830, DK4375, DK4180, DK4185, DK2975, DK2977, DK1575, DK4175,		
	495/45 R 22,5	519		1036		DK1565		
	445/40 R 22,5	453		936		DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977, DK1575, DK4175,		
	455/40 R 22,5	453		936		DK1830, DK4375, DK4180, DK4185, DK2975, DK2977,		
	8 R 22,5	214	247	947	DK1545, DK1530		DK3125	
	9 R 22,5	237	260	982	DK1560			
	10 R 22,5	262	286	1033	DK1565			
	11 R 22,5	287	318	1064	DK1565, DK1570, DK1820, DK2970, DK2971, DK2972, DK2973			

	ROZMIAR OPONY	SZEROKOŚĆ OPONY	DYSTANS MIĘDZY OPONAMI (KOŁA PODWÓJNE)	ŚREDNICA OPONY	KOŁA PODWÓJNE	KOŁA POJEDYNCZE	KOŁA PODWÓJNE	KOŁA POJEDYNCZE
	12 R 22,5	309	342	1099	DK1570, DK1585, DK1820, DK1850, DK4190, DK4385, DK2970, DK2971, DK2972, DK2973, DK1570, DK1585,			
	13 R 22,5	328	360	1141	DK1820, DK1850, DK4190, DK4385, DK2970, DK2971, DK2972, DK2973, DK4500, DK4550	DK1580, DK1830, DK4180, DK4185, DK2976, DK2978, DK4380		
	15 R 22,5	399		1089		DK1840		
	16,5 R 22,5	438		1139		DK1840		
	18 R 22,5	471		1176		DK1840		
	9/70 R 22,5	236	257	901	DK1535		DK3125	
	10/70 R 22,5	262	286	938	DK1540		DK3125	
	11/70 R 22,5	279	322	973	DK1560			
12/70 R 22,5	320	346	1018	DK1585, DK1850, DK4190, DK4385	DK1580, DK1830, DK4180, DK4185, DK2976, DK2978, DK4380			
24"	11.00 R 24	295	342	1199	DK1585, DK1850, DK4190, DK4385	DK1575, DK4175, DK1830, DK4375, DK4180, DK4185, DK2975, DK2977,		
	12.00 R 24	319	350	1244	DK1585, DK1850, DK4190, DK4385	DK1840		
24,5"	14/80 R 24,5	361		1209		DK1840, DK1580, DK1830,		
	295/80 R 24,5	313	345	1112	DK1585, DK1850, DK4190, DK4385	DK4180, DK4185, DK2976, DK2978, DK4380		
	285/75 R 24,5	283		1050	DK1570, DK1585, DK1820, DK1850, DK4190, DK4385, DK2970, DK2971, DK2972, DK2973			
	305/75 R 24,5	320	350	1098	DK1585, DK1850, DK4190, DK4385	DK1580, DK1830, DK4180, DK4185, DK2976, DK2978, DK4380		

	ROZMIAR OPONY	SZEROKOŚĆ OPONY	DYSTANS MIĘDZY OPONAMI (KOŁA PODWÓJNE)	ŚREDNICA OPONY	KOŁA PODWÓJNE	KOŁA POJEDYNCZE	KOŁA PODWÓJNE	KOŁA POJEDYNCZE
	315/75 R 24,5	328	360	1112	DK1585, DK1850, DK4190, DK4385	DK1580, DK1830, DK4180, DK4185, DK2976, DK2978, DK4380		
	E-G20 PILOTE					DK1575, DK1580, DK2975, DK2977, DK4375		
	E22,5 PILOTE					DK1575, DK1580, DK2975, DK2977, DK4375		